



AMINO METRICS

CERTIFICATE OF ANALYSIS

Adamax 10mg

Certificate #AM-2608-0094

Verify code 58d8-5b97-f674-55e4-e7be-e0d1-292a-709e-dc0e-455e-8a48-3081 (separate from the certificate #)




ISSUED TO

Peptiva Sciences

COMPOUND TESTED

Adamax 10mg

SAMPLE AS RECEIVED



CLIENT REFERENCE

PPA-CGL-ADA10-HGHYTG

STATUS

GENERATED

DATE RECEIVED

2026-07-21

DATE TESTED

2026-08-09

DATE ISSUED

2026-08-09

ANALYST

AR


SOURCE

Undisclosed

SUMMARY OF RESULTS

TEST	RESULT	METHOD	SPECIFICATION	OUTCOME
Purity	99.87%	HPLC	$\geq 98\%$	PASS
Net Content	104.20% of label claim	Beer-Lambert Law (AUC)	90–115%	PASS

HPLC Purity Analysis



NOTES

Dominant analyte peak at 10.540 min, 99.87% of total integrated area. Computed elution 41.08% acetonitrile on the stated 20-80% B, 30 min gradient, against a 41.1% acetonitrile reference standard. Minor peak at 5.299 min (0.13%) retained in the integration.

Physical & Quantity Checks

Net Content

10.42 mg (104.20%)

90–115%

PASS

Verify: <https://aminometrics.com/verify>

Enter verify code 58d8-5b97-f674-55e4-e7be-e0d1-292a-709e-dc0e-455e-8a48-3081 (not the certificate # above)

Research use only. Not for human or veterinary use. Results relate only to the sample as received and tested.

Not usage or dosage guidance, and not a claim about the intended use, application, or functionality of this compound.