



AMINO METRICS

CERTIFICATE OF ANALYSIS

Tesamorelin 10mg

Certificate #AM-2608-0048

Verify code a236-1fb6-750a-fbb2-9feb-0097-4172-7308-eb16-478b-cb3f-c79a (separate from the certificate #)




ISSUED TO

Peptiva Sciences

COMPOUND TESTED

Tesamorelin 10mg

SAMPLE AS RECEIVED



CLIENT REFERENCE

PPA-CGL-TSM10-MT00992026/5/23-2028/5...

STATUS

GENERATED

DATE RECEIVED

2026-07-29

DATE TESTED

2026-08-04

DATE ISSUED

2026-08-04

ANALYST

AR


SOURCE

Undisclosed

SUMMARY OF RESULTS

TEST	RESULT	METHOD	SPECIFICATION	OUTCOME
Purity	99.30%	HPLC	$\geq 98\%$	PASS
Net Content	100.00% of label claim	Beer-Lambert Law (AUC)	90–115%	PASS

HPLC Purity Analysis



NOTES

Void-volume artifact peak at 5.504 min excluded from integration. Single genuine analyte peak at retention time 13.688 min. Reference elution 44.0% acetonitrile vs. customer sample 43.0% acetonitrile.

Physical & Quantity Checks

Net Content 10.00 mg (100.00%) 90–115% PASS

Verify: <https://aminometrics.com/verify>

Enter verify code a236-1fb6-750a-fbb2-9feb-0097-4172-7308-eb16-478b-cb3f-c79a (not the certificate # above)

Research use only. Not for human or veterinary use. Results relate only to the sample as received and tested.

Not usage or dosage guidance, and not a claim about the intended use, application, or functionality of this compound.