



Report #:

COA261206-002


Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 9/3/2026
Date Tested: 8/30/2026
Customer: Pedro's Research Peptides
Testing material: SS-31
Lot Number: PPA WL-2S50-P00713
Sample ID: BTL260805-030-002
Content/Potency: 50 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, silver crimp, yellow plastic cap.
Labeled as: SS-31
Manufacturer: LUMIRA
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	121.2 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of SS-31 with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.9 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 50 mg	54.6 mg (109.2 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:0) to (1:10) for (peptide: excipients)	54.6 : 66.6 mg (1:1.2)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs

Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF - 824 - QSA - TR006

Rev 1.1 August 2026



Report #:

COA261206-002


Page 2 of 2

Title:

Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: SS-31 Lot PPA WL-2S50-P00713



HPLC Purity and Potency Assay @ 280 nm: SS-31 Lot PPA WL-2S50-P00713



SS-31 Lot PPA WL-2S50-P00713 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	3.831	3212.6

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF-824-QSA-TR006

Rev 1.1 August 2026